
Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 ····
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m  W  K  E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP










This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.



276200

276400





Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority.









Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 ····
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m  W  K  E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP









This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.



277200

277400

277600

277800

4876400

876200



277200

+


Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority.



277600







278000


278200

Lower Trent Region Conservation Authority 714 Murray Street, R.R. 1 Trenton, Ontario, K8V 5P4 Phone: 613-394-4829 Web: www.ltc.on.ca

Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 <sup>N</sup>
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m  W  K  E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP










This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.



200

000

278200

278400


278600

-LAKECREST-CIR





4876400



Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority. 278400

+







Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
→ 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
Dese Montinet	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
$\sim$ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard Limit The Dynamic Beach Hazard Limit is defined as the sum of the Flood Hazard plus 30 metres measured horizontally. Local conditions may require a modified mapping approach if the beach is eroding or a barrier beach. Refer to the Lake Ontario Shoreline Management Plan report for additional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural	Datums: Horizontal: UTM 18N NAD1983, metres.Datum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average)
Resources and Forestry	Vertical: CGVD2013, metresIOLD1983 - CGVD2013 - 0.41 m (average)To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 50 & 100 & 200 \\ \Box & \Box & \Box & \Box & \Box & \Box & m \end{bmatrix} W \bigoplus_{E} E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SP PROFESSION AL SHA










This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.



279200

4876



279200

+

279400

279600



Mapping prepared by Zuzek Inc. for the

Lower Trent Region Conservation Authority.



280200

Presqu'ile Provincial Park

+

AREA NOT REGULATED BY CONSERVATION AUTHORITY

279800

280000

Lower Trent Region Conservation Authority 714 Murray Street, R.R. 1 Trenton, Ontario, K8V 5P4 Phone: 613-394-4829 Web: www.ltc.on.ca


280200

LTRCA Map 28 of 61

Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 ····
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m \qquad W \qquad E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP










This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.





280200

00

4876000

4875800





Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority.



280400

280600

280600





Presqu'ile Provincial Park

AREA NOT REGULATED BY CONSERVATION AUTHORITY

280800

Lower Trent Region Conservation Authority 714 Murray Street, R.R. 1 Trenton, Ontario, K8V 5P4 Phone: 613-394-4829 Web: www.ltc.on.ca

281000

LTRCA Map 29 of 61

Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 <sup>N</sup>
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m \qquad W \qquad E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP









This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.



<b>N</b>

280200

280400

280600

4875600

4875400

4875200

4875000

4874800




#### 280200

Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority. 280400

280600





280800

Lower Trent Region Conservation Authority 714 Murray Street, R.R. 1 Trenton, Ontario, K8V 5P4 Phone: 613-394-4829 Web: www.ltc.on.ca

281000

281200

LTRCA Map 30 of 61

Lower Trent Conservat:	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake lev
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of $1\%$ (i.e., probability, P =0.01). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGL (+75.62 m CGVD2013).
Erosion Hazard Limit	<u>Flood Hazard Limit</u> The Flood Hazard Limit is defined as the 100-Year Flood Level plus allowance for wave runup and uprush. For the exposed shoreline, w effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additiona details.
Dynamic Beach Setback	
Dece Monning.	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however localized shoreline/riverine erosion may occur and is subject to revier by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard Limit The Dynamic Beach Hazard Limit is defined as the sum of the Flood Hazard plus 30 metres measured horizontally. Local conditions may require a modified mapping approach if the beach is eroding or a bar beach. Refer to the Lake Ontario Shoreline Management Plan report additional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums:Datum Conversion:Horizontal: UTM 18N NAD1983, metres.IGLD1985 - CGVD2013 = 0.41 m (average)Vertical: CGVD2013, metresTo convert from IGLD85 to CGVD2013, subt0.41 m
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	0.41 m. Note: There are local variations along the within LTRCA. Refer to the Lake Ontario additional details. N
2009/10 Topographic data near Prince Edward Estates provided by LTRCA. Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census.	0 50 100 200 w
Statistics Canada Catalogue no. 92-500-X	
Inset Map: © OpenStreetMap contributors	Ś
Inset Map: © OpenStreetMap contributors PREPARED BY:	











This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.





Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority. 280600

280800





281400

Presqu'ile Provincial Park

#### AREA NOT REGULATED BY **CONSERVATION AUTHORITY**

000

4873800


874200



Lower Trent Region Conservation Authority 714 Murray Street, R.R. 1 Trenton, Ontario, K8V 5P4 Phone: 613-394-4829 Web: www.ltc.on.ca



+



Lower Trent Conservat	ion Authority (LTRCA)
LEGEND:	DEFINITIONS:
Hazard Mapping:	<u>100 Year Flood Level</u> The 100 Year Combined Flood Level considers both static lake level and
// 100 Year Flood Level	storm surge, having a combined probability of being equalled or exceeded during any year of 1% (i.e., probability, $P = 0.01$ ). The 100
Flood Hazard Limit	Year Combined Flood Level elevation for LTRCA is +76.03 m IGLD85 (+75.62 m CGVD2013).
Erosion Hazard Limit	Flood Hazard Limit
Dynamic Beach Setback	The Flood Hazard Limit is defined as the 100-Year Flood Level plus an allowance for wave runup and uprush. For the exposed shoreline, wave effects are calculated based on localized nearshore conditions and waves. For embayments, the standardized 15 m setback is applied. Refer to the Lake Ontario Shoreline Management Plan for additional details.
	<u>Toe of Bluff</u> The Toe of Bluff is the transition from the gently sloping beach to the steep portion of the bank or bluff slope.
Base Mapping:	Stable Slope Allowance
Geographical Names	The Stable Slope Allowance is defined as a horizontal setback equivalent to 3.0 times the height of the bank or bluff.
• Dynamic Beach (Start Pt)	Erosion Hazard Limit
• Dynamic Beach (End Pt)	The landward extent of the Erosion Hazard is the sum of the 100 year erosion rate plus the Stable Slope Allowance, measured horizontally
✓ Road Network	from the toe of the bank or bluff.
<ul> <li>LTRCA Administrative Boundary</li> </ul>	The Erosion Hazard Limit is not mapped in sheltered waters, however, localized shoreline/riverine erosion may occur and is subject to review by the Conservation Authority.
INTERPRETATION OF THE HAZARD MAPS:	by the Conservation Authority.
The hazard maps were prepared to support the Lake Ontario Shoreline Management Plan. The hazard limits are not the official regulatory limits of the Conservation Authority. Please contact the Conservation Authority for additional details on the regulatory limit and implications for new development.	Dynamic Beach Hazard LimitThe Dynamic Beach Hazard Limit is defined as the sum of the FloodHazard plus 30 metres measured horizontally. Local conditions mayrequire a modified mapping approach if the beach is eroding or a barrierbeach. Refer to the Lake Ontario Shoreline Management Plan report foradditional details.
DATA SOURCES: 2018 Orthophotography and Digital Surface Model (DSM) provided by the Ministry of Natural Resources and Forestry	Datums: Horizontal: UTM 18N NAD1983, metres. Vertical: CGVD2013, metresDatum Conversion: IGLD1985 - CGVD2013 = 0.41 m (average) To convert from IGLD85 to CGVD2013, subtract 0.41 m.
2017 LiDAR Digital Terrain Model obtained from the Ministry of Natural Resources and Forestry. Contains information licensed under the Open Government Licence – Ontario.	Note: There are local variations along the reaches within LTRCA. Refer to the Lake Ontario SMP for additional details.
2009/10 Topographic data near Prince Edward Estates provided by LTRCA.	0 50 100 200 <sup>N</sup>
Geographical Names obtained from Natural Resources Canada Road Network File, 2016 Census. Statistics Canada Catalogue no. 92-500-X	$\begin{bmatrix} 0 & 30 & 100 & 200 \\ \vdots & \vdots & \vdots & \vdots & \end{bmatrix} m \qquad W \qquad E$
Inset Map: © OpenStreetMap contributors	S
PREPARED BY:	SD PROFESSION 41 SP










This map was published in March 2020 for LTRCA. The mapping of hazardous lands, including erosion, flooding, and dynamic beach areas, is subject to change. The proponent of a proposed development on or adjacent to the hazardous lands should contact LTRCA to discuss permit requirements.

Every reasonable effort has been made to ensure the accuracy of this map. However, neither LTRCA, Zuzek Inc., SJL Engineering, or any other affiliated party assume any liability arising from its use. This map is provided without warranty of any kind, either expressed or implied.





74600

4874200

4000





+

+

281600

281600

487

4873800

4873600

Mapping prepared by Zuzek Inc. for the Lower Trent Region Conservation Authority.

Presqu'ile Provincial Park AREA NOT REGULATED BY CONSERVATION AUTHORITY

281800

+

+281800



MAP PUBLISHED MARCH 2020



282200

